


DEFENDER



THE TRUE ENTRANCE MATTING



DEFENDER ENTRANCE MATTING (UAE)

1. Defender Pro (18mm)

The Defender Pro aluminium entrance mat is a heavy-duty entrance flooring system, suitable for high-traffic commercial and residential entrances. It combines extruded aluminium profiles with high-performance insert materials to effectively remove dirt, dust, and moisture in the entrance area.

2. Defender Lite (12mm)

The Defender Lite aluminium entrance mat is a low-profile, lightweight entrance matting system, suitable for medium and low traffic areas. It is ideal for entrances where recess depth is limited while still providing effective dirt and moisture control.

ABI MAT ENTRANCE MATTING (NETHERLANDS)

1. ABIMAT Aluflex Junior

2. ABIMAT Aluflex Medium

3. ABIMAT Aluflex Senior

4. ABIMAT ALU Cable Mini

5. ABIMAT ALU Cable Senior

6. ABI DUPLOMAT 18

ABI Mats are heavy-duty modular entrance matting systems designed to control dirt, dust, and moisture in building entrances. They combine strong aluminium profiles with interchangeable infill inserts to deliver durability, safety, and a premium appearance.

AQUA SERIES


2. AQUA 85

Aqua 85 is a premium scraper walk-off entrance mat with a long and proven performance record. With an overall thickness of 8 mm, it is engineered for maximum dirt and moisture absorption while maintaining a luxurious, warm appearance. It is an ideal solution for high-traffic commercial entrances where aesthetics and performance are equally important.



Defender Entrance Matting (UAE MADE)

Exclusive Collection



DEFENDER PRO

Measurements

Thickness
18mm
Size & Shape Any

Use

High traffic & heavy duty,
recessed / surface mount.

Color Options

Black Grey Blue Brown Red



Insert Option

Textile carpet inserts and PVC inserts

Salient Features

Excellent Dirt & Moisture Removal
The insert materials trap dirt and absorb moisture, keeping interior floors clean and safe.



DEFENDER LITE

Measurements

Thickness
12mm
Size & Shape Any

Use

Medium traffic & medium duty,
recessed / surface mount.

Color Options

Black Grey Blue Brown Red



Insert Option

Textile carpet inserts and PVC inserts.

Salient Features

Medium Dirt & Moisture Removal
The insert materials trap dirt and absorb moisture, keeping interior floors clean and safe.

ABI Mats Entrance Matting (Netherlands)

Exclusive Collection



ALUFLEX JUNIOR

Measurements

Thickness
10-12mm

Color Options

Black Grey Blue Brown Red



ALUFLEX MEDIUM

Measurements

Thickness
18mm

Color Options

Black Grey Blue Brown Red



ALUFLEX SENIOR

Measurements

Thickness
21mm

Color Options

Black Grey Blue Brown Red



ALU CABLE MINI

Measurements

Thickness
13mm

Color Options

Black Grey Blue Brown Red



ALU CABLE SENIOR

Measurements

Thickness
21mm

Color Options

Black Grey Blue Brown Red



ABI DUPLOMAT 18

Measurements

Thickness
18mm

Color Options

Grey



AQUA 85



Measurements

Thickness
8mm

Color Options

Black Grey





INSPIRATION



INSTALLATION


RECESSED

1. Make sure the floor of the mat-well is flat.
2. Make sure the floor of the mat-well is clean and dry.
3. The entrance mat will be delivered as a roll/slab. Open this package with care, without damaging the product.
4. Unroll the entrance mat with care along the walking length of the mat. Fixation on the floor is not necessary.



SURFACE MOUNT

1. Make sure the floor is flat.
2. Fix a sloping profile. This is the side away from the door.
3. The entrance mat will be delivered as a roll or slab. Open this package with care, without damaging the product.
4. Unroll the entrance mat with care along the walking length of the mat. Fixation on the floor is not necessary.



MAINTENANCE

CORE MAINTENANCE PROCEDURES

1. Routine Cleaning

Vacuum the mats regularly, and appropriately increase the vacuuming frequency during high-traffic periods or wet weather to remove surface dust and dirt in a timely manner. Shake or sweep the mats manually every day to prevent debris buildup from the source and extend the service life of the mats.

2. Deep Cleaning

You can rinse the mats directly with a water hose, or use a pressure washer or carpet extractor for auxiliary operation. During cleaning, use a soft brush, clean water and a mild neutral detergent to gently wipe the stained areas; avoid using strong corrosive detergents that may damage the mat material.




3. Drying Treatment

After cleaning, be sure to place the mats in a well-ventilated area and ensure they are completely dry (no moisture traces) before re-laying and using them. This measure can effectively prevent mold and mildew growth on the mats, and at the same time avoid damage to the underlying floor caused by moisture penetration.

4. Under-mat Cleaning

Remove the mats regularly to sweep or vacuum the floor underneath, removing residual moisture, dust, and debris. This prevents long-term dirt accumulation from corroding the floor and avoids mold growth on the mat backing due to moisture.



Transform Your Entrance with Strength & Style

CONTACT US

 : +971 6 537 5777 / +971 4 347 1431

 : contact@azeemahfloors.com

 : www.azeemahfloors.com

BRANCHES

 Warehouse No - 12,
Al Tayer Warehouses, Al Quoz 1,
Dubai, United Arab Emirates.

 Warehouse No - 13,
Industrial Area 4, King Faisal Street,
Sharjah, United Arab Emirates.